(b) if so, whether it is also a fact that CT Scan machine is now being installed by the Hospital and Medical College Administration in private area; and

(c) if so, the reasons therefor?

THE MINISTER OF HEALTH AND FAMILY WELFARE (SHRIMATI SUSHMA SWARAJ): (a) to (c) The information is being collected and will be laid on the Table of the House.

Bifurcation of Bokajan Cement Factory from CCI

2553. SHRI DRUPAD BORGOHAIN: Will the Minister of HEAVY INDUSTRIES AND PUBLIC ENTERPRISES be pleased to state:

(a) whether Government have been approached by MPs from Assam requesting the bifurcation of Bokajan Cement Factory from the sick Cement Corporation of India (CCI);

(b) whether any decision has been taken on this memorandum; and

(c) whether Bokajan Unit of CCI will be bifurcated and whether a new public sector company will be floated to save the Bokajan unit?

THE MINISTER OF HEAVY INDUSTRIES AND PUBLIC ENTERPRISES (SHRI BALASAHEB VIKHE PATIL): (a) Yes, Sir.

(b) The memorandum was considered.

(c) The Government of Assam has been requested to indicate their willingness to take over the Bokajan Cement Factory of Cement Corporation of India Limited.

Reconstruction of sick PSUs

2554. SHRI RAMA MUNI REDDY SIRIGIREDDY: Will the Minister of HEAVY INDUSTRIES AND PUBLIC ENTERPRISES be pleased to state:

(a) whether it is a fact that the Group of Ministers has recently approved the reconstruction of sick public sector undertakings;